

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	163080	(code\$1 near2 (length or data) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 10:04
L2	58960	((video or (analog adj decoder)) near2 input)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 10:14
L3	1	compar\$3 near4 1 near4 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 10:07
L4	10	1 near6 (large\$1 or great\$2 or more or high\$2) near6 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 10:09
L5	7	1 near6 (small\$2 or less or least or low\$2) near6 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 10:10
L6	273	(arrange\$4 or arrang\$3 or order\$3 or slid\$3 or divi\$4) near5 (stream or string or sequence or bitstream or datastream or input) near6 (overlap\$4 near3 (segment or portion or code or data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 10:15
L7	66	(video or (analog adj decoder)) and 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 10:14
L8	11	(video or (analog adj decoder)) with 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 10:31

L9	274	(arrange\$4 or arrang\$3 or order\$3 or slid\$3 or divi\$4) near5 (stream or string or sequence or bitstream or datastream or input) near6 ((overlap\$4 or nonoverlap\$4) near3 (segment or portion or code or data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 10:18
L10	60	((overlap\$4 or nonoverlap\$4 or slid\$3 or divi\$4) near3 (segment or portion or code or data)) adj5 (less or small\$2 or low\$2) adj5 (code\$1 or codelength or codeword)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 10:17
L11	501	(arrange\$4 or arrang\$3 or order\$3 or slid\$3 or divi\$4 or portion or segment\$3) near5 (stream or string or sequence or bitstream or datastream or input) near6 ((less or small\$3 or low\$2) near5 (code\$1 or codelength or codeword))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 10:20
L12	552	10 or 11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 10:20
L13	136	12 and ((analog adj decoder) or video)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 10:30
L14	2	"20050184892".pn. and decoder	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 10:29
L15	101	window adj decoder	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 10:29
L16	0	11 and 15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 10:29

L17	0	10 and 15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 10:29
L18	382	window near2 decoder	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 10:29
L19	1	11 and 18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 10:30
L20	0	10 and 18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 10:30
L21	0	10 and (analog adj decoder)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 10:34
L22	1	((analog adj decoder)) and 11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 10:32
L23	1550	input adj5 (less or small\$2 or low\$2 or least) adj7 (code\$1 or codeword or codelength)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 10:34
L24	2	23 and (analog adj decoder)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 10:35

L25	1478	(code\$1 or codeword or codelength) adj5 (great\$2 or high\$2 or more or large\$1) adj7 input	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 10:35
L26	3	25 and (analog adj decoder)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 10:35